



Summary 2008 – 2013



Measurement	Statistics
Number of patients	671
Females	317 (47%)
Males	354 (53%)
Age at diagnosis in years	
Mean	59
Standard deviation	15.9
Median	61
Minimum – Maximum	14 – 95
Number of patients diagnosed per year (first diagnosis)	
Unknown year	26 (4%)
<2007	3 (0%)
2007	15 (2%)
2008	90 (13%)
2009	115 (17%)
2010	141 (21%)
2011	117 (17%)
2012	142 (21%)
2013	22 (3%)





Measurement	Statistics
Follow-up	
Median	455 days
Interquartile Range	77 to 1036
Time from first symptoms to diagnosis in years	
Mean	2.1
Standard deviation	1.5
Median	2.0



Measurement	Statistics
First therapy	
Ablative	5 (1%)
Irradiation	15 (3%)
Medical	59 (10%)
Surgery	507 (87%)
Surgical therapy (number of patients)	
Once	305 (57%)
Twice	145 (27%)
Three times	51 (9%)
Four times	16 (3%)
Five or more	21 (4%)
Medical therapy (number of patients)	133
Biotherapy	53 (40%)
Chemotherapy	59 (44%)
Both	21 (16%)
Remission status (last visit)	
Complete remission	260 (39%)
Partial remission	7 (1%)
Progressive disease	17 (17%)
Stable disease	46 (7%)
Not known	242 (36)
Relapse	1 (0%)
Dead	98 (15%)





Measurement	Statistics
Tumor related hospitalizations	
Number of hospitalizations	711
Tumor related	606 (85%)
Not tumor related	104 (15%)
Not known	1 (0%)
Number of visits per patients	
Mean	5.5
Standard deviation	4.6
Median	4
Number of hospitalizations per patient	
1	251 (62%)
2	81 (20%)
3	38 (9%)
4	21 (5%)
>5	15 (4%)

